


Screwdriver Catalog 2020


BONDHUS®

TOOLS THAT WORK


Series 1000



Series 2000




Series 3000



Series 4000



Series 5000



Classic Series



100 % Made in Germany

シリーズ 2000 - コンフォートグリップ™ドライバー



- ・力の入れやすい六角形のラバーグリップ・二重形成ハンドルを採用
- ・ハンドルにブレードを差し込んで強力な締め付け作業が可能
- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ
- ・刃先は高い精度でネジにフィットするブラックチップ精密加工

型番	mm	mm	mm	mm	mm	mm
2082	⊕No.0	3.5	60	100	26	¥620
2083	⊕No.1	5.0	80	105	30	¥720
2084	⊕No.1	5.0	150	105	30	¥820
2086	⊕No.1	5.0	300	105	30	¥940
2087	⊕No.2	6.0	100	110	34	¥930
2092	⊕No.2	6.0	150	110	34	¥1,220
2088	⊕No.2	6.0	200	110	34	¥1,260
2089	⊕No.2	6.0	300	110	34	¥1,380
2090	⊕No.3	8.0	150	115	36	¥1,400

型番	mm	mm	mm	mm	mm	mm	
2030	⊖ 4.0	0.8	4.5	75	100	26	¥840
2031	⊖ 5.0	1.0	5.0	75	105	30	¥870
2032	⊖ 5.5	1.0	5.0	125	105	30	¥900
2033	⊖ 5.5	1.0	5.0	200	105	30	¥950
2034	⊖ 5.5	1.0	5.0	300	105	30	¥1,070
2035	⊖ 6.0	1.0	5.0	100	105	30	¥970
2036	⊖ 6.5	1.2	6.0	100	110	34	¥960
2037	⊖ 6.5	1.2	6.0	150	110	34	¥1,000
2038	⊖ 6.5	1.2	6.0	300	110	34	¥1,160
2039	⊖ 7.0	1.2	6.0	125	110	34	¥960
2040	⊖ 8.0	1.2	7.0	150	115	36	¥1,250
2041	⊖ 8.0	1.6	7.0	175	115	36	¥1,300
2042	⊖ 8.0	1.6	8.0	300	115	36	¥1,540
2043	⊖ 9.0	1.6	8.0	175	115	36	¥1,380
2044	⊖ 10.0	1.6	8.0	200	115	36	¥1,560
2045	⊖ 12.0	2.0	10.0	250	115	36	¥1,930

※ボンダスのドライバーは DIN ISO 準拠のもと製造されています。

・プラス : DIN ISO8764PH ・マイナス : DIN ISO 2380 ・ボジドライブ : DIN ISO 8764PZ ・ナットドライバー : DIN ISO 3125 ・絶縁ドライバー : DIN ISO 8764PH / DIN ISO 7437 / DIN ISO 8764PZ

セット



2300



2305



2310



2320



2325

型番	セット内容		
2300	⊕ No.1 x 80, No.2 x 100 ⊖ 4.0 x 100, 5.5 x 125, 6.5 x 150	5本組	¥4,200
2305	⊕ No.1 x 80, No.2 x 100 ⊖ 4.5 x 125, 5.5 x 125, 7.0 x 125	5本組	¥4,420
2310	⊕ No.1 x 80, No.2 x 100 ⊖ 3.5 x 100, 4.0 x 100, 5.5 x 125, 6.5 x 150	6本組	¥4,700
2320	⊕ No.2 x 100 ⊖ 5.5 x 125, 6.5 x 150	3本組	¥2,800
2325	⊕ No.0 x 60, No.1 x 80, No.2 x 100	3本組	¥2,300

シリーズ 2000 - コンフォートグリップ™ドライバー



マイナスドライバー（細軸タイプ）



- ・精密機器、電工に
- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ

型番	mm	mm	mm	mm	mm	mm	
2003	⊖2.5	0.4	2.5	60	100	26	¥440
2005	⊖3.0	0.5	3.0	75	100	26	¥460
2006	⊖3.0	0.5	3.0	150	100	26	¥500
2007	⊖3.5	0.6	3.5	100	100	26	¥520
2008	⊖4.0	0.8	4.0	100	105	30	¥650
2009	⊖4.0	0.8	4.0	150	105	30	¥690
2010	⊖4.0	0.8	4.0	300	105	30	¥810
2011	⊖4.5	0.8	4.5	125	105	30	¥730
2012	⊖5.0	1.0	5.0	150	105	30	¥770
2013	⊖5.0	1.0	5.0	200	105	30	¥820
2014	⊖5.5	1.0	5.5	150	110	34	¥960

六角ボルスター付きドライバー



- ・スパナによる増し締めに対応
- ・クロムバナジウム ブレード、クロムメッキ仕上げ

型番	mm	mm	mm	mm	mm	mm	
2100	⊕No.1	4.5	80	105	30		¥870
2101	⊕No.2	6.0	100	110	34		¥1,110
2102	⊕No.3	8.0	150	115	36		¥1,470
2103	⊕No.4	11.0	200	115	36		¥2,200
2060	⊖4.5	1.0	4.5	90	105	30	¥830
2061	⊖5.5	1.0	5.5	100	105	30	¥870
2062	⊖7.0	1.2	7.0	125	110	34	¥1,080
2063	⊖8.0	1.2	8.0	150	115	36	¥1,440
2064	⊖9.0	1.6	8.0	150	115	36	¥1,550
2065	⊖10.0	1.6	9.0	175	115	36	¥1,660
2066	⊖12.0	2.0	9.0	200	115	36	¥1,860

絶縁 (VDE) ドライバー



ボジドライブ

- ・ AC 1000 V ・ IEC 60900 の基準に従い製造
- ・ クロムバナジウムモリブデン ブレード



型番	mm	mm	mm	mm	mm	mm	
2420	⊕No.0	3.5	60	100	26		¥640
2421	⊕No.1	5.0	80	105	30		¥810
2422	⊕No.2	6.0	100	110	34		¥1,050
2423	⊕No.3	8.0	150	115	36		¥1,740
2400	⊖2.5	0.4	2.5	75	100	26	¥650
2401	⊖3.0	0.5	3.0	100	100	26	¥700
2402	⊖3.5	0.6	3.5	100	100	26	¥710
2403	⊖4.0	0.8	4.0	100	105	30	¥840
2404	⊖4.5	0.8	4.5	125	105	30	¥1,000
2405	⊖5.5	1.0	5.5	125	110	34	¥1,030
2406	⊖6.0	1.0	6.0	150	110	34	¥1,100
2407	⊖6.5	1.2	6.5	150	115	36	¥1,160
2408	⊖8.0	1.6	8.0	175	115	36	¥1,440
2430	PZ No.0	3.5	60	100	26		¥640
2431	PZ No.1	5.0	80	105	30		¥810
2432	PZ No.2	6.0	100	110	34		¥1,050
2433	PZ No.3	8.0	150	115	36		¥1,740

ソケットドライバーハンドル



- ・ ソケット 差込角6.35mm(1/4")
- ・ クロムバナジウム ブレード、クロムメッキ仕上げ

型番		 mm	 mm	 mm	 mm	
2281	1/4"	8.0	100	110	34	¥1,100

フレキシブルブレード ソケットドライバーハンドル



- ・ ソケット 差込角6.35mm(1/4")
- ・ ブレードはバネ構造
- ・ クロムバナジウム ブレード、クロムメッキ仕上げ

型番		 mm	 mm	 mm	 mm	
2210	1/4"	11.0	150	100	34	¥1,670

マグネットビットホルダー



- ・ クロムバナジウム ブレード
- ・ ニッケルメッキ仕上げ ・ ビット 差込角6.35mm(1/4")

型番						
2280	1/4"	7.0	110	110	34	¥1,200

シリーズ 2000 - コンフォートグリップ™ドライバー



スタビードライバー



- ・狭いスペースでのネジ締めに最適
- ・クロムバナジウムモリブデン ブレード ・クロムメッキ仕上げ

型番							
	mm	mm	mm	mm	mm	mm	
2285	⊕No.1		5.0	30	50	30	¥730
2286	⊕No.2		6.0	30	50	30	¥770
2289	⊖5.0	1.0	5.0	30	50	30	¥730
2290	⊖6.0	1.0	6.0	30	50	30	¥770

スタビー・マグネットビットホルダー



- ・差込角6.35mm(1/4")
- ・クロムバナジウム ブレード ・クロムメッキ仕上げ

型番	mm	mm	mm	mm	
2291	1/4"	10.0	30	50	¥1,060

ナットドライバー (ディープソケット)



- ・クロムバナジウム ブレード
- ・クロムメッキ仕上げ

型番	mm	mm	mm	mm	mm	mm	
2236	5.0	8.0	5.0	125	105	30	¥1,140
2237	5.5	8.0	5.0	125	105	30	¥1,170
2238	6.0	9.0	6.0	125	105	30	¥1,200
2239	7.0	11.0	7.0	125	110	34	¥1,230
2240	8.0	12.0	7.0	125	110	34	¥1,260
2241	9.0	13.0	7.0	125	110	34	¥1,290
2242	10.0	14.0	7.0	125	110	34	¥1,320
2243	11.0	16.0	8.0	125	115	36	¥1,350
2244	12.0	17.0	8.0	125	115	36	¥1,380
2245	13.0	18.0	8.0	125	115	36	¥1,410

丸キリ / 角キリ



2282



2283

- ・クロムバナジウムブレード ニッケルメッキ仕上げ

型番		mm	mm	mm	mm	
2282	丸キリ	6.0	100	110	34	¥810
2283	角キリ	6.0	100	110	34	¥870

くぎ抜き



- ・クロムバナジウムブレード ニッケルメッキ仕上げ

型番	mm	mm	mm	mm	
2284	6.0	100	110	34	¥1,030

フレキシブルブレード ナットドライバー



- ・ブレードはバナ構造
- ・クロムバナジウム ブレード
- ・クロムメッキ仕上げ



使用例

型番	mm	mm	mm	mm	mm	mm	
2211	6.0	12.0	11.0	150	100	34	¥1,670
2212	7.0	12.0	11.0	150	100	34	¥1,670
2213	8.0	12.0	11.0	150	100	34	¥1,670
2214	10.0	14.0	11.0	175	100	34	¥1,670

スクエアー (四角) ドライバー



- ・クロムバナジウムモリブデン ブレード ・クロムメッキ仕上げ

型番	mm	mm	mm	mm	
2200	#1	2.4	100	105	¥960
2201	#2	2.9	125	110	¥980
2202	#3	3.3	150	110	¥1,010

シリーズ 4000 - プリシジョングリップ™精密ドライバー



- ・ヘッドが回転するため、片手で早回しが可能
- ・ハンドルにブレードを差し込んで強力な締め付けが可能
- ・クロムバナジウムモリブデンブレード、クロムメッキ仕上げ
- ・刃先はブラックチップ精密加工



型番	 mm	 mm	 mm	 mm	 mm	 mm	
4080	⊕ No.000		2.5	60	93	15	¥870
4081	⊕ No.00		2.5	60	93	15	¥770
4082	⊕ No.0		3.5	60	93	15	¥520
4083	⊕ No.1		5.0	80	93	15	¥700
4084	⊕ No.1		5.0	150	93	15	¥810
4085	⊕ No.1		5.0	200	93	15	¥930
4001	⊖ 1.5	0.3	1.5	60	93	15	¥610
4002	⊖ 2.0	0.4	2.0	60	93	15	¥520
4003	⊖ 2.5	0.4	2.5	60	93	15	¥460
4004	⊖ 2.5	0.4	2.5	150	93	15	¥680
4005	⊖ 3.0	0.5	3.0	75	93	15	¥470
4006	⊖ 3.0	0.5	3.0	150	93	15	¥640
4007	⊖ 3.5	0.6	3.5	100	93	15	¥520
4008	⊖ 4.0	0.8	4.0	100	93	15	¥530
4009	⊖ 4.0	0.8	4.0	150	93	15	¥690

六角ドライバー



- ・クロムバナジウムブレード、クロムメッキ仕上げ

型番	 mm	 mm	 mm	 mm	 mm	
4262	2.0	2.0	65	93	15	¥520
4263	2.5	2.5	65	93	15	¥520
4264	3.0	3.0	65	93	15	¥520
4265	4.0	4.0	65	93	15	¥520

トルクス®ドライバー



- ・クロムバナジウムモリブデンブレード、クロムメッキ仕上げ

型番		 mm	 mm	 mm	 mm	
4140	T3	2.5	60	93	15	¥900
4141	T4	2.5	60	93	15	¥900
4142	T5	2.5	60	93	15	¥900
4143	T6	4.0	80	93	15	¥900
4144	T7	4.0	80	93	15	¥900
4145	T8	4.0	80	93	15	¥900
4146	T9	4.0	80	93	15	¥900
4147	T10	4.0	80	93	15	¥900
4148	T15	4.0	80	93	15	¥900
4149	T20	4.0	100	93	15	¥900

ポジドライブ・ドライバー



- ・クロムバナジウムモリブデンブレード、クロムメッキ仕上げ

型番		 mm	 mm	 mm	 mm	
4110	PZ No.0	3.5	60	93	15	¥520
4111	PZ No.1	5.0	80	93	15	¥700
4112	PZ No.1	5.0	200	93	15	¥930

ナットドライバー



- ・クロムバナジウムブレード、クロムメッキ仕上げ

型番						
		mm	mm	mm	mm	
4230	2.0	3.5	80	93	15	¥1,060
4231	2.5	3.5	80	93	15	¥1,060
4232	3.0	4.0	80	93	15	¥1,060
4233	3.5	4.0	80	93	15	¥1,060
4234	4.0	4.0	80	93	15	¥1,060
4235	4.5	4.0	80	93	15	¥1,060



セット



型番	セット内容	本数	価格
4370	⊕ No.00 x 60, No.0 x 60, No.1 x 80 ⊖ 1.5 x 60, 2.0 x 60, 3.0 x 75	6本組	¥3,600
4380	⊕ T3 x 60, T4 x 60, T5 x 60, T6 x 80, T8 x 80, T10 x 80	6本組	¥5,400

※トルクス®はアキュメント社の登録商標です。

シリーズ 3000 - パワーグリップ™ドライバー



- ・エラストマーグリップ・二重形成ハンドルを採用
- ・ハンドルにブレードを差し込んで強力な締め付け作業が可能
- ・クロムバナジウムモリブデンブレード、クロムメッキ仕上げ
- ・刃先は高い精度でネジにフィットするブラックチップ精密加工

型番	mm	mm	mm	mm	mm	mm
3082	⊕No.0	3.5	60	99	26	¥780
3083	⊕No.1	5.0	80	99	26	¥910
3084	⊕No.1	5.0	150	99	26	¥1,030
3086	⊕No.1	5.0	300	99	26	¥1,180
3087	⊕No.2	6.0	100	109	32	¥1,170
3088	⊕No.2	6.0	200	109	32	¥1,580
3089	⊕No.2	6.0	300	109	38	¥1,740
3090	⊕No.3	8.0	150	115	38	¥1,750

型番	mm	mm	mm	mm	mm	mm	
3030	⊖ 4.0	0.8	4.5	75	99	26	¥1,050
3031	⊖ 5.0	1.0	5.0	75	99	26	¥1,080
3032	⊖ 5.5	1.0	5.0	125	109	32	¥1,130
3033	⊖ 5.5	1.0	5.0	200	109	32	¥1,200
3034	⊖ 5.5	1.0	5.0	300	109	32	¥1,340
3035	⊖ 6.0	1.0	5.0	100	109	32	¥1,220
3036	⊖ 6.5	1.2	6.0	100	109	32	¥1,200
3037	⊖ 6.5	1.2	6.0	150	109	32	¥1,210
3038	⊖ 6.5	1.2	6.0	300	109	32	¥1,450
3039	⊖ 7.0	1.2	6.0	125	109	32	¥1,200
3040	⊖ 8.0	1.2	7.0	150	115	38	¥1,570
3041	⊖ 8.0	1.6	7.0	175	115	38	¥1,630
3042	⊖ 8.0	1.6	8.0	300	115	38	¥1,930
3043	⊖ 9.0	1.6	8.0	175	115	38	¥1,740
3044	⊖ 10.0	1.6	8.0	200	115	38	¥1,960
3045	⊖ 12.0	2.0	10.0	250	115	38	¥2,410

セット



3300



3310



3320



3325

型番	セット内容		
3300	⊕ No.1 x 80, No.2 x 100 ⊖ 4.0 x 100, 5.5 x 125, 6.5 x 150	5本組	¥5,800
3310	⊕ No.1 x 80, No.2 x 100 ⊖ 3.5 x 100, 4.0 x 100, 5.5 x 125, 6.5 x 150	6本組	¥6,600
3320	⊕ No.2 x 100 ⊖ 5.5 x 125, 6.5 x 150	3本組	¥3,900
3325	⊕ No.0 x 60, No.1 x 80, No.2 x 100	3本組	¥3,200

シリーズ 3000 - パワーグリップ™ドライバー



マイナスドライバー（細軸タイプ）



- ・精密機器、電工に
- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ

型番	→ mm	mm	mm	mm	mm	mm	
3003	⊖2.5	0.4	2.5	60	99	26	¥550
3005	⊖3.0	0.5	3.0	75	99	26	¥580
3006	⊖3.0	0.5	3.0	150	99	26	¥630
3007	⊖3.5	0.6	3.5	100	99	26	¥660
3008	⊖4.0	0.8	4.0	100	99	26	¥820
3009	⊖4.0	0.8	4.0	150	99	26	¥870
3010	⊖4.0	0.8	4.0	300	99	26	¥1,020
3012	⊖5.0	1.0	5.0	150	109	32	¥960
3013	⊖5.0	1.0	5.0	200	109	32	¥1,030
3014	⊖5.5	1.0	5.5	150	109	32	¥1,200
3015	⊖5.5	1.0	5.5	300	109	32	¥1,420

六角ボルスター付きドライバー



- ・スパナによる増し締めに対応
- ・六角ブレード採用
- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ

型番	→ mm	mm	mm	mm	mm	
3100	⊕No.1		80	99	26	¥1,200
3101	⊕No.2		100	109	32	¥1,550
3102	⊕No.3		150	115	38	¥2,050
3060	⊖4.5	1.0	90	99	26	¥1,150
3061	⊖5.5	1.0	100	109	32	¥1,200
3062	⊖6.5	1.2	125	109	32	¥1,500
3063	⊖8.0	1.2	150	115	38	¥2,000
3065	⊖10.0	1.6	175	115	38	¥2,300
3066	⊖12.0	2.0	200	115	38	¥2,600

シリーズ 5000 - ESD 精密ドライバー（静電気防止）



- ・電子機器の組み立て、メンテナンス用に
- ・クロムバナジウムモリブデン ブレード
- ・クロムメッキ仕上げ
- ・ブラックチップ精密加工
- ・ESD(静電気防止)対応ハンドル

※ESD管理規格IEC61340-5-1 / IEC61340-5-2準拠

型番	→ mm	mm	mm	mm	mm	mm	
5081	⊕ No.00		2.5	60	95	15	¥820
5082	⊕ No.0		3.5	60	95	15	¥550
5083	⊕ No.1		5.0	80	95	15	¥740
5001	⊖ 1.5	0.3	2.5	60	95	15	¥650
5002	⊖ 2.0	0.4	2.5	60	95	15	¥560
5003	⊖ 2.5	0.4	2.5	60	95	15	¥500
5005	⊖ 3.0	0.4	3.0	100	95	15	¥530
5007	⊖ 3.5	0.5	3.5	100	95	15	¥560
5008	⊖ 4.0	0.5	4.0	100	95	15	¥570
5385	⊖ 1.5×60, 2.0×60, 2.5×60					[3本組]	¥2,400
5390	⊕ No.00×60, No.0×60, No.1×60					[3本組]	¥2,500

ポジドライブ・ドライバー



- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ

型番	→ mm	mm	mm	mm	mm	
3110	PZ No.0	3.5	60	99	26	¥780
3111	PZ No.1	5.0	80	99	26	¥910
3112	PZ No.1	5.0	200	99	26	¥1,030
3113	PZ No.2	6.0	100	109	32	¥1,170
3114	PZ No.2	6.0	200	109	32	¥1,580
3115	PZ No.3	8.0	150	115	38	¥1,750

ボールグリップドライバー



- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ

型番	 mm	 mm	 mm	 mm	 mm	 mm	
5610	⊕ No.2		6.0	100	135	38	¥730
5611	⊕ No.2		6.0	150	135	38	¥800
5612	⊕ No.2		6.0	200	135	38	¥860
5601	⊖ 6.0	1.0	5.0	100	135	38	¥860
5602	⊖ 6.0	1.0	5.0	150	135	38	¥960
5603	⊖ 6.0	1.0	5.0	200	135	38	¥1,000

クラシックシリーズ - 木柄貫通ドライバー六角ボルスター付



シリーズ 1000 - ベーシックグリップ™ドライバー

使い込むほど手になじむ木柄ハンドル



- ・クロムバナジウムモリブデン ブレード、クロムメッキ仕上げ
- ・ヘッドは、ハンマーの打撃に耐えられるよう革製キャップにより保護



ブナ材を使用した
木柄ハンドル



貫通ブレード



ハンマーの打撃
に対応



スパナによる
増し締めに対応

型番	mm	mm	mm	mm	mm	mm	
16501W	⊕ No.1	6.0	4.5	80	95	¥950	
16502W	⊕ No.2	10.0	6.0	100	110	¥1,200	
16503W	⊕ No.3	12.0	8.0	150	120	¥1,660	
17301W	⊖ 3.5	0.5	6.0	4.5	75	95	¥880
17302W	⊖ 4.5	0.5	6.0	4.5	90	95	¥880
17303W	⊖ 5.5	1.0	8.0	5.5	100	100	¥1,020
17304W	⊖ 7.0	1.2	10.0	7.0	125	110	¥1,350
17305W	⊖ 9.0	1.2	12.0	8.0	150	120	¥1,580
17306W	⊖ 10.0	1.4	13.0	9.0	175	125	¥1,960
17307W	⊖ 12.0	2.0	13.0	9.0	200	130	¥2,650
17308W	⊖ 14.0	2.5	16.0	11.0	250	130	¥3,130
95705W	⊕ No.1×80, No.2×100 ⊖ 4.5×90, 5.5×100, 7.0×125, 9.0×150					¥7,500	
95715W	⊕ No.1×80, No.2×100, No.3×150 ⊖ 5.5×100, 7.0×125, 9.0×150					¥8,300	

六角 T- ハンドルレンチ



ポジドライブ・ドライバー



- ・手にフィットする八角形ハンドルが、最大のトルクを伝達
- ・ハンドルにブレードを差し込んで強力な締め付け作業が可能
- ・クロムバナジウムブレード、ニッケルメッキ仕上げ



型番		mm	mm	mm	mm	
1110	PZ No.0	3.5	60	80	26	¥400
1111	PZ No.1	5.0	80	90	30	¥500
1112	PZ No.1	5.0	200	90	30	¥620
1113	PZ No.2	6.0	100	100	33	¥720
1114	PZ No.2	6.0	200	100	33	¥880
1115	PZ No.3	8.0	150	110	37	¥1,000

トルクス®ドライバー



- ・クロムバナジウム ブレード、ニッケルメッキ仕上げ

型番		mm	mm	mm	mm	
1143	T6	4.0	80	80	26	¥580
1144	T7	4.0	80	80	26	¥590
1145	T8	4.0	80	80	26	¥590
1146	T9	4.0	80	80	26	¥610
1147	T10	4.0	80	80	26	¥620
1148	T15	4.0	80	80	26	¥640
1149	T20	4.0	100	90	30	¥650
1150	T25	5.0	100	90	30	¥670
1151	T27	5.0	110	90	30	¥680
1152	T30	6.0	125	100	33	¥770
1153	T40	7.0	130	110	37	¥900
1154	T45	8.0	155	110	37	¥990

※トルクス®はアキュメント社の登録商標です。

- ・力の入れやすいラバーグリップ・二重形成ハンドルを採用
- ・握りやすいT型ハンドルにより、油、水、汚れによる滑りを軽減
- ・クロムバナジウム ブレード、亜鉛メッキ仕上げ

型番	mm	mm	mm	
23030	3.0	150	80	¥980
23031	4.0	150	80	¥1,000
23032	5.0	150	80	¥1,100
23033	6.0	150	100	¥1,200
23034	8.0	150	100	¥1,350
23035	10	150	100	¥1,900